Как заполнить поля

Перед началом

Подготовьте XML из вашей программы для счетов и инструкции покупателя. Используйте UBL или CII. PDF не заменяет XML; выгрузите электронный счёт из программы.

Шаги

1. Откройте валидатор электронных счетов и выберите пакет XRechnung.
2. Выберите файл XRechnung (UBL или CII) или вставьте XML.
3. Поставьте галочку в поле согласия, затем нажмите «Check invoice».
4. Прочитайте карточку результата: правило, поле, путь в XML, а также неверный и верный пример.
5. Исправьте поле в своей программе, выгрузите файл и проверьте снова.

Три ошибки для первой проверки

- BR-DE-15: Нет ссылки покупателя. Запросите у покупателя ссылку для маршрутизации и укажите её в BuyerReference.
- BR-DE-2: Нет контакта продавца. Добавьте контакт по счетам в данные продавца и выгрузите файл снова.
- BR-DE-21: Неверный идентификатор спецификации. Выберите экспорт XRechnung в программе и проверьте новый файл.

Успешная проверка подтверждает выбранные правила. Перед отправкой уточните требования покупателя к передаче счёта.

Язык инструкции может отличаться от языка элементов управления. Сохраните код правила, чтобы обратиться за помощью к коллеге.

XSDHub · XRechnung

XSDHub · XRechnung · video

Снимки экрана

Экран: английский. Все примеры счетов вымышлены.

Ввод и выбранные правила

Selected invoice package: XRechnung

Version: 3.0.2 / national rules 2.6.0 + EN 16931 1.3.16

Review the next checks before sending the invoice. Next checks

Ввод и выбранные правила

Choose invoice XML (one free; Pro/Team batches) Choose Files No file chosen

Or paste a single invoice

```
<ubl:Invoice xmlns:ubl="urn:oasis:names:specification:ubl:schema:xsd:Invoice-2" xmlns:cac="urn:oas
    <cbc:CustomizationID>urn:cen.eu:en16931:2017#compliant#urn:xeinkauf.de:kosit:xrechnung_3.0</cb
    <cbc:ProfileID>urn:fdc:peppol.eu:2017:poacc:billing:01:1.0</cbc:ProfileID>
    <cbc:ID>123456XX</cbc:ID>
    <cbc:IssueDate>2016-04-04</cbc:IssueDate>
    <cbc:InvoiceTypeCode>380</cbc:InvoiceTypeCode>
    <cbc:Note>#ADU#Es gelten unsere Allgem. Gesch&#228;ftsbedingungen, die Sie unter [&#8230;] fir
    <cbc:DocumentCurrencyCode>EUR</cbc:DocumentCurrencyCode>
    <cac:AccountingSupplierParty>
        <cac:Party>
            <cbc:EndpointID schemeID="EM">seller@email.de</cbc:EndpointID>
            <cac:PartyName>
                <cbc:Name>[Seller trading name]</cbc:Name>
```

View invoice locally (no upload)

Input changed. Read the current input to show an invoice.

Your invoice is sent to our server for business-rule checks and is not stored. Temporary processing files are deleted after completion or timeout. Invoice content is not logged. Privacy details.

☐ I agree to send this invoice (or each selected invoice) to the XSDHub server for these checks.

Check invoice

Результат: код правила, место и исправление

BR-DE-15 · Buyer reference is missing

The checked XRechnung rule requires a non-blank buyer reference (BT-10). Enter the reference provided by the recipient in the source system, then export and check again. The fictional value below is only a tested example; it is not a reference for your invoice.

Expected field path:

```
/Q{urn:oasis:names:specification:ubl:schema:xsd:Invoice-2}Invoice/Q{urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2}BuyerReference
```

Engine code: BR-DE-15

Engine location:

```
/Q{urn:oasis:names:specification:ubl:schema:xsd:Invoice-2}Invoice[1]
```

Failing example

```
<!-- BuyerReference absent -->
```

Passing example

```
<cbc:BuyerReference xmlns:cbc="urn:oasis:names:specification:ubl:schema:xsd:CommonBasicComponents-2">FICTIONAL-REFERENCE</cbc:BuyerReference>
```

Tested UBL fixture: the complete failing and passing invoices differ only by this element. Place it after DocumentCurrencyCode in this example.

Open BR-DE-15 and the complete examples

▶ Original engine message

xsdhub.com · XRechnung · RU